

| REF NUMBER | WABTEC PART NUMBER | DESCRIPTION | Material Thickness | Box QTY |
|---------------|--------------------|--|---------------------|---------|
| | | | GRIP RANGE (Inches) | |
| MGLP-R8-E12.6 | SCMLS-R8-E12.6 | 1/4" Mega-Lock, (Magna-Lok) Protruding Head | .244 - .787 | 1000 |
| C6LB-R12-6G | SCERSB1206 | 3/8" Plated Finish | .313 - .438 | 500 |
| C6LB-R12-8G | SCERSB1208 | 3/8" Plated Finish | .438 - .563 | 500 |
| C6LB-R12-10G | SCERSB1210 | 3/8" Plated Finish | .563 - .688 | 500 |
| C6LB-R12-12G | SCERSB1212 | 3/8" Plated Finish | .688 - .813 | 400 |
| C6LT-R12-4G | SCERST1204GA | 3/8" Large Truss Head, Plated | 0.188 - 0.313 | TBA |
| C50LRBR16-4 | SCERSB1604 | 1/2" Black Finish | .250 - .500 | 200 |
| C50LRBR16-8 | SCERSB1608 | 1/2" Black Finish | .500 - .750 | 200 |
| C50LRBR16-12 | SCERSB1612 | 1/2" Black Finish | .750 - 1.000 | 150 |
| C50LRBR16-16 | SCERSB1616 | 1/2" Black Finish | 1.000 - 1.250 | 150 |
| C50LRBR16-20 | SCERSB1620 | 1/2" Black Finish | 1.250 - 1.500 | 150 |
| C50LRBR16-24 | SCERSB1624 | 1/2" Black Finish | 1.500 - 1.750 | 150 |
| C50LRBR16-28 | SCERSB1628 | 1/2" Black Finish | 1.750 - 2.000 | 150 |
| C50LRBR16-4G | SCERSB1604GA | 1/2" Plated Finish | .250 - .500 | 200 |
| C50LRBR16-8G | SCERSB1608GA | 1/2" Plated Finish | .500 - .750 | 200 |
| C50LRBR16-12G | SCERSB1612GA | 1/2" Plated Finish | .750 - 1.000 | 150 |
| C50LRBR16-16G | SCERSB1616GA | 1/2" Plated Finish | 1.000 - 1.250 | 150 |
| C50LRBR16-20G | SCERSB1620GA | 1/2" Plated Finish | 1.250 - 1.500 | 150 |
| C50LRBR16-24G | SCERSB1624GA | 1/2" Plated Finish | 1.500 - 1.750 | 150 |
| C50LRBR16-28G | SCERSB1628GA | 1/2" Plated Finish | 1.750 - 2.000 | 150 |
| C50LT-BR16-4 | SCERST1604 | 1/2" Large Truss Head, Black | .250 - .500 | 200 |
| C50LT-BR16-8 | SCERST1608 | 1/2" Large Truss Head, Black | .500 - .750 | 200 |
| C50LRBR20-4 | SCERSB2004 | 5/8" Black Finish | .250 - .500 | 100 |
| C50LRBR20-8 | SCERSB2008 | 5/8" Black Finish | .500 - .750 | 100 |
| C50LRBR20-12 | SCERSB2012 | 5/8" Black Finish | .750 - 1.000 | 100 |
| C50LRBR20-16 | SCERSB2016 | 5/8" Black Finish | 1.000 - 1.250 | 100 |
| C50LRBR20-20 | SCERSB2020 | 5/8" Black Finish | 1.250 - 1.500 | 75 |
| C50LRBR20-24 | SCERSB2024 | 5/8" Black Finish | 1.500 - 1.750 | 75 |
| C50LRBR20-28 | SCERSB2028 | 5/8" Black Finish | 1.750 - 2.000 | 75 |
| C50LRBR20-20G | SCERSB2020GA | 5/8" Plated Finish | 1.250 - 1.500 | 75 |
| C50LRBR20-76G | SCERSB2076GA | 5/8" Plated Finish | 4.75 - 5.00 | TBA |

| Current Stock Items | | | Material Thickness | |
|---------------------|--------------------|-------------------------------|---------------------|---------|
| PART NUMBER | WABTEC PART NUMBER | DESCRIPTION | GRIP RANGE (Inches) | Box QTY |
| C50L30BR20-4GA | SCERSLT2004GA | 5/8" Large Truss Head, Plated | .250 - .500 | 100 |
| C50L30BR20-8GA | SCERSLT2008GA | 5/8" Large Truss Head, Plated | .500 - .750 | 100 |
| C50L30BR20-12GA | SCERSLT2012GA | 5/8" Large Truss Head, Plated | .750 - 1.000 | 100 |
| C50L30BR20-16GA | SCERSLT2016GA | 5/8" Large Truss Head, Plated | 1.000 - 1.250 | 100 |
| C50L30BR20-20GA | SCERSLT2020GA | 5/8" Large Truss Head, Plated | 1.250 - 1.500 | 75 |
| C50L30BR20-24GA | SCERSLT2024GA | 5/8" Large Truss Head, Plated | 1.500 - 1.750 | 75 |
| C50L30BR20-28GA | SCERSLT2028GA | 5/8" Large Truss Head, Plated | 1.750 - 2.000 | 75 |
| C50LRBR24-4 | SCERSB2404 | 3/4" Black Finish | .250 - .500 | 50 |
| C50LRBR24-8 | SCERSB2408 | 3/4" Black Finish | .500 - .750 | 50 |
| C50LRBR24-12 | SCERSB2412 | 3/4" Black Finish | .750 - 1.000 | 50 |
| C50LRBR24-16 | SCERSB2416 | 3/4" Black Finish | 1.000 - 1.250 | 50 |
| C50LRBR24-20 | SCERSB2420 | 3/4" Black Finish | 1.250 - 1.500 | 50 |
| C50LRBR24-24 | SCERSB2424 | 3/4" Black Finish | 1.500 - 1.750 | 50 |
| C50LRBR24-28 | SCERSB2428 | 3/4" Black Finish | 1.750 - 2.000 | 50 |
| C50LRBR24-32 | SCERSB2432 | 3/4" Black Finish | 2.000 - 2.250 | 50 |
| C50LRBR24-36 | SCERSB2436 | 3/4" Black Finish | 2.250 - 2.500 | 50 |
| C50LRBR24-8G | SCERSB2408GA | 3/4" Plated Finish | .500 - .750 | 50 |
| C50LRBR24-12G | SCERSB2412GA | 3/4" Plated Finish | .750 - 1.000 | 50 |
| C50LRBR24-16G | SCERSB2416GA | 3/4" Plated Finish | 1.000 - 1.250 | 50 |
| C50LRBR24-20G | SCERSB2420GA | 3/4" Plated Finish | 1.250 - 1.500 | 50 |
| C50LRBR24-24G | SCERSB2424GA | 3/4" Plated Finish | 1.500 - 1.750 | 50 |
| C50LRBR28-20 | SCERSB2820 | 7/8" Black Finish | 1.250 - 1.500 | 40 |
| C50LRBR28-24 | SCERSB2824 | 7/8" Black Finish | 1.500 - 1.750 | 40 |
| C50LRBR28-28 | SCERSB2828 | 7/8" Black Finish | 1.750 - 2.000 | 40 |
| C50LRBR28-32 | SCERSB2832 | 7/8" Black Finish | 2.000 - 2.250 | 40 |
| C50LRBR28-36 | SCERSB2836 | 7/8" Black Finish | 2.250 - 2.500 | 40 |
| C50LRBR28-40 | SCERSB2840 | 7/8" Black Finish | 2.500 - 2.750 | TBA |

| COLLARS | WABTEC PART NUMBER | DESCRIPTION | Box QTY |
|----------------|---------------------------|---------------------------|----------------|
| LC2R16G | SCERSC1600 | 1/2" STANDARD COLLAR | 800 |
| LC2R20G | SCERSC2000 | 5/8" STANDARD COLLAR | 400 |
| LC2R20GL | SCERSC2000GL | 5/8" STANDARD LOCK COLLAR | 400 |
| LC2R24G | SCERSC2400 | 3/4" STANDARD COLLAR | 250 |
| LC2R24GL | SCERSC2400GL | 3/4" STANDARD LOCK COLLAR | 250 |
| LC2R28G | SCERSC2800 | 7/8" STANDARD COLLAR | 150 |
| LC2R28GL | SCERSC2800GL | 7/8" STANDARD LOCK COLLAR | 150 |
| 3LC2R12G | SCERSCF1200 | 3/8" FLANGED COLLAR | 1500 |
| 3LC2R16G | SCERSCF1600 | 1/2" FLANGED COLLAR | 600 |
| 3LC2R20G | SCERSCF2000 | 5/8" FLANGED COLLAR | 300 |
| 3LC2R24G | SCERSCF2400 | 3/4" FLANGED COLLAR | 150 |
| 3LC2R28G | SCERSCF2800 | 7/8" FLANGED COLLAR | 100 |
| 3LC2R12GL | SCERSCF1200GL | 3/8" FLANGED LOCK COLLAR | 1500 |
| 3LC2R16GL | SCERSCF1600GL | 1/2" FLANGED LOCK COLLAR | 600 |
| 3LC2R20GL | SCERSCF2000GL | 5/8" FLANGED LOCK COLLAR | 300 |
| 3LC2R24GL | SCERSCF2400GL | 3/4" FLANGED LOCK COLLAR | 150 |
| 3LC2R24G | SCERSCF2800GL | 7/8" FLANGED LOCK COLLAR | 100 |